LED WALL LIGHT

Creating a Warm and Comfortable Atmosphere Space

LED WALL LIGHT K-2302





LED WALL LIGHT K-2302





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1*5W	Die-cast Aluminum	BK/GY/WH	WW / WH	COB	AC85-265V 50/60Hz	D65*H160mm	80	70lm/W	IP54	20pcs 38*35*35.5cm
1*7W	Die-cast Aluminum	BK/GY/WH	WW / WH	COB	AC85-265V 50/60Hz	D65*H160mm	80	70lm/W	IP54	20pcs 32.5×26×32.5cm
2*5W	Die-cast Aluminum	BK/GY/WH	WW / WH	COB	AC85-265V 50/60Hz	D65*H160mm	80	70lm/W	IP54	20pcs 32.5×26×32.5cm
2*7W	Die-cast Aluminum	BK/GY/WH	WW / WH	COB	AC85-265V 50/60Hz	D65*H160mm	80	70lm/W	IP54	20pcs 32.5×26×32.5cm
2*5W	Die-cast Aluminum	BK/GY/WH	WW / WH	COB	AC85-265V 50/60Hz	D90*H260mm	80	70lm/W	IP54	10pcs 75×20×54cm
2*7W	Die-cast Aluminum	BK/GY/WH	WW / WH	COB	AC85-265V 50/60Hz	D90*H260mm	80	70lm/W	IP54	10pcs 75×20×54cm
2*10W	Die-cast Aluminum	BK/GY/WH	WW / WH	COB	AC85-265V 50/60Hz	D90*H260mm	80	70lm/W	IP54	10pcs 60*38.5*32cm

LED WALL LIGHT K-2302







LED WALL LIGHT K-2302

Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1*7W	Die-cast Aluminum	BK/GY/WH	WW / WH	SMD	AC85-265V 50/60Hz	D65*H160mm	80	70lm/W	IP54	20pcs 38*35*35.5cm
1*12W	Die-cast Aluminum	BK/GY/WH	WW / WH	SMD	AC85-265V 50/60Hz	D90*H160mm	80	70lm/W	IP54	20pcs 75×20×54cm
1*18W	Die-cast Aluminum	BK/GY/WH	WW / WH	SMD	AC85-265V 50/60Hz	D108*H200mm	80	70lm/W	IP54	10pcs 85×24×32cm
1*24W	Die-cast Aluminum	BK/GY/WH	WW / WH	SMD	AC85-265V 50/60Hz	D145*H200mm	80	70lm/W	IP54	4pcs 46×31.5×34cm
2*7W	Die-cast Aluminum	BK/GY/WH	WW / WH	SMD	AC85-265V 50/60Hz	D65*H160mm	80	70lm/W	IP54	20pcs 32.5×26×32.5cm
2*12W	Die-cast Aluminum	BK/GY/WH	WW / WH	SMD	AC85-265V 50/60Hz	D90*H160mm	80	70lm/W	IP54	20pcs 75×20×54cm
2*18W	Die-cast Aluminum	BK/GY/WH	WW / WH	SMD	AC85-265V 50/60Hz	D108*H200mm	80	70lm/W	IP54	10pcs 85×24×32cm
2*24W	Die-cast Aluminum	BK/GY/WH	WW / WH	SMD	AC85-265V 50/60Hz	D145*H200mm	80	70lm/W	IP54	4pcs 46×31.5×34cm



LAMP BODY

Painting iron lamp is simple and not easy to rust

[2302-GU10 / E27]

PS:With GU10/E27 Base,
No Bulb Inside

LED WALL LIGHT K-2302-GU10





LED WALL LIGHT K-2302-GU10





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1*GU10	Die-cast Aluminum	BK/GY/WH	/	/	/	D65*H160mm	/	/	IP54	20pcs 38*35*35.5cm
2*GU10	Die-cast Aluminum	BK/GY/WH	/	/	/	D65*H160mm	/	/	IP54	20pcs 38*35*35.5cm
2*GU10	Die-cast Aluminum	BK/GY/WH	/	/	/	D90*H160mm	/	/	IP54	20pcs 75×20×54cm
2*E27	Die-cast Aluminum	BK/GY/WH	/	/	/	D90*260mm	/	/	IP54	20pcs 75×20×54cm
2*E27	Die-cast Aluminum	BK/GY/WH	/	/	/	D108*H300mm	/	/	IP54	10pcs 85×24×32cm
2*E27	Die-cast Aluminum	BK/GY/WH	/	/	/	D145*H300mm	/	/	IP54	20pcs 46×31.5×34cm

LED WALL LIGHT K-2303







LED WALL LIGHT K-2303





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1*5W	Die-cast Aluminum	BK/GY/WH	WW/WH	COB	AC85-265V 50/60Hz	L80*W92*H65mm	80	70lm/W	IP54	20pcs 41*19.5*23cm
2*5W	Die-cast Aluminum	BK/GY/WH	WW/WH	COB	AC85-265V 50/60Hz	L150*W95*H65mm	80	70lm/W	IP54	20pcs 42×23×36cm
1*GU10	Die-cast Aluminum	BK/GY/WH	/	/	/	L80*W92*H65mm	/	/	IP54	20pcs 41*19.5*23cm
2*GU10	Die-cast Aluminum	BK/GY/WH	/	/	/	L150*W95*H65mm	/	/	IP54	20pcs 42×23×36cm

LED WALL LIGHT K-2304





LED WALL LIGHT K-2304



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1*5W	Die-cast Aluminum	BK/GY/WH	WW/WH	COB	AC85-265V 50/60Hz	L80*W92*H65mm	80	70lm/W	IP54	20pcs 41*19.5*23cm
2*5W	Die-cast Aluminum	BK/GY/WH	WW/WH	COB	AC85-265V 50/60Hz	L150*W95*H65mm	80	70lm/W	IP54	20pcs 42×23×36cm
1*GU10	Die-cast Aluminum	BK/GY/WH	/	/	/	L80*W92*H65mm	/	/	IP54	20pcs 41*19.5*23cm
2*GU10	Die-cast Aluminum	BK/GY/WH	/	/	/	L150*W95*H65mm	/	/	IP54	20pcs 42×23×36cm

LED WALL LIGHT K-2305



LED WALL LIGHT K-2305



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1*3W / 1*5W	Die-cast Aluminum	BK/GY/WH	WW/WH	COB	AC85-265V 50/60Hz	L75*W80*H65mm	80	70lm/W	IP54	20pcs 41*19.5*23cm
2*3W / 2*5W	Die-cast Aluminum	BK/GY/WH	WW/WH	COB	AC85-265V 50/60Hz	L140*W80*H65mm	80	70lm/W	IP54	20pcs 42.5*23*36cm

LED WALL LIGHT K-2306





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*3W	Die-cast Aluminum	BK/GY/WH	WW/WH	COB	AC85-265V 50/60Hz	L160*W90*H55mm	80	70lm/W	IP54	20pcs 33.5*22*36cm
2*5W	Die-cast Aluminum	BK/GY/WH	WW/WH	COB	AC85-265V 50/60Hz	L160*W90*H55mm	80	70lm/W	IP54	20pcs 33.5*22*36cm

SMD WALL LIGHT K-2309





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*3W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	SMD	AC85-265V 50/60Hz	L120*W80*H28mm	80	70lm/W	IP54	50pcs 51*37*19.5cm
2*5W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	SMD	AC85-265V 50/60Hz	L170*W80*H28mm	80	70lm/W	IP54	50pcs 51*37*19.5cm
2*6W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	SMD	AC85-265V 50/60Hz	L220*W80*H28mm	80	70lm/W	IP54	50pcs 51*37*19.5cm

Patent Number:ZL 2020 2 2357611.5

SMD WALL LIGHT K-2309





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*2*1W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	SMD	AC85-265V 50/60Hz	L120*W80*H28mm	80	70lm/W	IP54	50pcs 51*37*19.5cm
3*2*1W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	SMD	AC85-265V 50/60Hz	L170*W80*H28mm	80	70lm/W	IP54	50pcs 51*37*19.5cm
4*2*1W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	SMD	AC85-265V 50/60Hz	L220*W80*H28mm	80	70lm/W	IP54	50pcs 51*37*19.5cm

LED WALL LIGHT K-2310





LED WALL LIGHT K-2310





LED WALL LIGHT K-2310





LED WALL LIGHT K-2310





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*1W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	SMD	AC85-265V 50/60Hz	L80*W70*H37mm	80	70lm/W	IP54	40pcs 47*25.5*28cm
4*1W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	SMD	AC85-265V 50/60Hz	L130*W80*H37mm	80	70lm/W	IP54	40pcs 38.5×25.5×28cm
6*1W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	SMD	AC85-265V 50/60Hz	L170*W80*H40mm	80	70lm/W	IP54	20pcs 38.5×27.5×38cm
8*1W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	SMD	AC85-265V 50/60Hz	L220*W90*H50mm	80	70lm/W	IP54	20pcs 38.5×29.5×25cm
2*3W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	COB	AC85-265V 50/60Hz	L80*W70*H37mm	80	70lm/W	IP54	40pcs 47*25.5*28cm
4*3W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	COB	AC85-265V 50/60Hz	L130*W80*H37mm	80	70lm/W	IP54	40pcs 38.5*25.5*28cm
6*3W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	COB	AC85-265V 50/60Hz	L170*W80*H40mm	80	70lm/W	IP54	20pcs 38.5*27.5*38cm
8*3W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	COB	AC85-265V 50/60Hz	L220*W90*H50mm	80	70lm/W	IP54	20pcs 38.5*29.5*25cm

LED WALL LIGHT K-2310-TRICOLOR



LED WALL LIGHT K-2310-TRICOLOR





LED WALL LIGHT K-2310-TRICOLOR



LED WALL LIGHT K-2310-TRICOLOR



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*3W	Die-cast Aluminum	BK/WH/GY/GD	TRICOLOR (WW/WH/NW)	COB	AC85-265V 50/60Hz	L80*W70*H37mm	80	70lm/W	IP54	40pcs 47*25.5*28cm
4*3W	Die-cast Aluminum	BK/WH/GY/GD	TRICOLOR (WW/WH/NW)	COB	AC85-265V 50/60Hz	L130*W80*H37mm	80	70lm/W	IP54	40pcs 38.5×25.5×28cm
6*3W	Die-cast Aluminum	BK/WH/GY/GD	TRICOLOR (WW/WH/NW)	COB	AC85-265V 50/60Hz	L170*W80*H40mm	80	70lm/W	IP54	20pcs 38.5×27.5×38cm
8*3W	Die-cast Aluminum	BK/WH/GY/GD	TRICOLOR (WW/WH/NW)	COB	AC85-265V 50/60Hz	L220*W90*H50mm	80	70lm/W	IP54	20pcs 38.5×29.5×25cm

SEVEN COLORS AUTOMATICALLY CHANGE

Creating a Warm and Comfortable Atmosphere Space

LED WALL LIGHT K-2310-RGB



LED WALL LIGHT K-2310-RGB



LED WALL LIGHT K-2310-RGB



LED WALL LIGHT K-2310-RGB



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*3W	Die-cast Aluminum	BK/WH/GY/GD	RGB	LED	AC85-265V 50/60Hz	L80*W70*H37mm	80	70lm/W	IP54	40pcs 47*25.5*28cm
4*3W	Die-cast Aluminum	BK/WH/GY/GD	RGB	LED	AC85-265V 50/60Hz	L130*W80*H37mm	80	70lm/W	IP54	40pcs 38.5×25.5×28cm
6*3W	Die-cast Aluminum	BK/WH/GY/GD	RGB	LED	AC85-265V 50/60Hz	L170*W80*H40mm	80	70lm/W	IP54	20pcs 38.5×27.5×38cm
8*3W	Die-cast Aluminum	BK/WH/GY/GD	RGB	LED	AC85-265V 50/60Hz	L220*W90*H50mm	80	70lm/W	IP54	20pcs 38.5×29.5×25cm



SENSOR WALL LIGHT K-2310-4*1W







SENSOR WALL LIGHT K-2310-6*1W







SENSOR WALL LIGHT K-2310-8*1W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
4*1W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	SMD	AC85-265V 50/60Hz	L130*W80*H37mm	80	70lm/W	IP54	40pcs 38.5×25.5×28cm
6*1W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	SMD	AC85-265V 50/60Hz	L170*W80*H40mm	80	70lm/W	IP54	20pcs 38.5×27.5×38cm
8*1W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	SMD	AC85-265V 50/60Hz	L220*W90*H50mm	80	70lm/W	IP54	20pcs 38.5×29.5×25cm



ADJUSTABLE

LED WALL LIGHT-K2312

Creating a Warm and Comfortable Atmosphere Space

2*3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH/GY/GD	L100*W100*H100mm
COB	WH / WW	20PCS 57*23.5*24CM



[℃]

[lm]
10

3×0.75mm²
22cm

CE

RoHS

IP
54



ADJUSTABLE

LED WALL LIGHT-K2313

Creating a Warm and Comfortable Atmosphere Space

2*3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 65	BK/GY/WH	L135*W118*H100mm
COB	WH / WW	50PCS 57×23.5×50CM

LED WALL LIGHT-K2321

lines and circles make lighting more colorful

3*1W 3*3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ	
IP 54	BK/GY/WH	L193*W170*H50mm	
LED COB	WH / WW	30PCS 39×39×59CM	





LED WALL LIGHT-K2322

lines and circles make lghting more colorful

4*1W 4*3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/GY/WH	L160*W160*H55mm
LED COB	WH / WW	40PCS 52.5*32.5*32.5CM



LED WALL LIGHT K-2324-2*3W







LED WALL LIGHT K-2324-2*3W





LED WALL LIGHT K-2324-3W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	BK/WH	WW/WH TRICOLOR	SMD	AC85-265V 50/60Hz	L50*W40*H80mm	80	70lm/W	IP54	50pcs 29.5*29.5*39cm
2*3W	Die-cast Aluminum	BK/WH	WW/WH TRICOLOR	SMD	AC85-265V 50/60Hz	L50*W40*H145mm	80	70lm/W	IP54	50pcs 29.5*29.5*39cm

LED WALL LIGHT K-2326







LED WALL LIGHT K-2326







Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*3W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	COB/LED	AC85-265V 50/60Hz	D70*H55mm	80	70lm/W	IP54	50pcs 40.5*40.5*15cm
2*3W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	COB/LED	AC85-265V 50/60Hz	D95*H95mm	80	70lm/W	IP54	50pcs 40.5*40.5*15cm
2*3W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	COB/LED	AC85-265V 50/60Hz	D100*H95mm	80	70lm/W	IP54	50pcs 40.5*40.5*15cm
4*1W /4*3W	Die-cast Aluminum	BK/WH/GY/GD	WW/WH	COB/LED	AC85-265V 50/60Hz	L110*W100*H95mm	80	70lm/W	IP54	20pcs 60.5*25.5*21.5cm

LED WALL LIGHT K-2329





LED WALL LIGHT K-2329





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*3W	Die-cast Aluminum	BK/WH	WW/WH	COB	AC85-265V 50/60Hz	L60*W60*H45mm	80	70lm/W	IP54	50pcs 37×37×14cm
4*3W	Die-cast Aluminum	BK/WH	WW/WH	COB	AC85-265V 50/60Hz	L75*W75*H55mm	80	70lm/W	IP54	50pcs 41*41*13.2cm

LED WALL LIGHT K-2335





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*5W	Die-cast Aluminum	BK/WH/GOLD	WW/WH	COB	AC85-265V 50/60Hz	D70*H150mm	80	70lm/W	IP54	50pcs 37.5*37.5*35cm
2*7W	Die-cast Aluminum	BK/WH/GOLD	WW/WH	COB	AC85-265V 50/60Hz	D100*H200mm	80	70lm/W	IP54	20pcs 53*22*43cm
2*10W	Die-cast Aluminum	BK/WH/GOLD	WW/WH	COB	AC85-265V 50/60Hz	D100*H200mm	80	70lm/W	IP54	20pcs 53*22*43cm

LED WALL LIGHT K-2339-SQUARE





LED WALL LIGHT K-2339-ROUND





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
5W	Aluminum +Acrylic	BK/GY	WW/WH	SMD	AC85-265V 50/60Hz	D108*H65mm	80	70lm/W	IP54	50pcs 73×29×42cm
7W	Aluminum +Acrylic	BK/GY	WW/WH	SMD	AC85-265V 50/60Hz	D133*H67mm	80	70lm/W	IP54	50pcs 46*30.5*47.5cm
12W	Aluminum +Acrylic	BK/GY	WW/WH	SMD	AC85-265V 50/60Hz	D160*H100mm	80	70lm/W	IP54	10pcs 34×18×34cm

LED WALL LIGHT K-2342-ROUND





LED WALL LIGHT K-2342-OVAL





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
18W	Die-cast Aluminum	BK/GY/WH	WW/WH	SMD	AC85-265V 50/60Hz	D295*H72mm	80	70lm/W	IP54	10pcs 55*44*33cm
18W	Die-cast Aluminum	BK/GY/WH	WW/WH	SMD	AC85-265V 50/60Hz	L295*W200*H72mm	80	70lm/W	IP54	10pcs 55*44*33cm

LED WALL LIGHT-K2343

lines and circles make lghting more colorful

18W	PLASTIC / ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/GY	L235*W135*H80mm
SMD	WH / WW	50PCS 57×28×47CM

LED WALL LIGHT K-2344-1





LED WALL LIGHT K-2344-2





LED WALL LIGHT K-2344-3







LED WALL LIGHT K-2344-4





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
20W	Plastic	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	L260*W160*H50mm	80	70lm/W	IP54	40pcs 57.5*34.5*43cm

LED WALL LIGHT K-2344-5







LED WALL LIGHT K-2344-6







LED WALL LIGHT K-2344-7







LED WALL LIGHT K-2344-8







Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
20W	Plastic	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	L260*W160*H50mm	80	70lm/W	IP65	40pcs 57.5*34.5*43cm



RADAR SENSOR

120° Induction angle
automatically extinguished in 15 seconds

RADAR SENSOR WALL LIGHT K-2344-1





RADAR SENSOR WALL LIGHT K-2344-2





RADAR SENSOR WALL LIGHT K-2344-3



RADAR SENSOR WALL LIGHT K-2344-4



RADAR SENSOR WALL LIGHT K-2344-5



RADAR SENSOR WALL LIGHT K-2344-6



RADAR SENSOR WALL LIGHT K-2344-7



RADAR SENSOR WALL LIGHT K-2344-8



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
20W	Plastic	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	L260*W160*H50mm	80	70lm/W	IP65	40pcs 57.5*34.5*43cm

LED WALL LIGHT K-2346-1





LED WALL LIGHT K-2346-2





LED WALL LIGHT K-2346-3





LED WALL LIGHT K-2346-4





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
20W	Plastic / Aluminum	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	L260*W125*H90mm	80	70lm/W	IP54	20pcs 70*28.5*56cm

LED WALL LIGHT K-2354-ROUND







LED WALL LIGHT K-2354-SQUARE





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
6W	Die-cast Aluminum	BK/WH/GD	WW/WH	SMD	AC85-265V 50/60Hz	L130*W130mm	80	70lm/W	IP54	30pcs 60*32.5*42cm
12W	Die-cast Aluminum	BK/WH/GD	WW/WH	SMD	AC85-265V 50/60Hz	L180*W180mm	80	70lm/W	IP54	10pcs 92*12*92cm
24 W	Die-cast Aluminum	BK/WH/GD	WW/WH	SMD	AC85-265V 50/60Hz	L230*W230mm	80	70lm/W	IP54	8pcs 48×48×48cm

LED WALL LIGHT K-2355







LED WALL LIGHT K-2355





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
6W	Die-cast Aluminum	BK/GY	WW/WH	SMD	AC85-265V 50/60Hz	L165*W130mm	80	70lm/W	IP54	50pcs 87*35*36cm
2*6W	Die-cast Aluminum	BK/GY	WW/WH	SMD	AC85-265V 50/60Hz	L240*W130mm	80	70lm/W	IP54	20pcs 67*27*28cm



LED WALL LIGHT K-2357







LED WALL LIGHT K-2357







LED WALL LIGHT K-2357





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*6W	Die-cast Aluminum	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	L160*W90*H35mm	80	70lm/W	IP54	20pcs 25.5*27.5*39cm
2*6W	Die-cast Aluminum	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	L160*W125*H35mm	80	70lm/W	IP54	20pcs 25.5*27.5*39cm
2*6W	Die-cast Aluminum	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	D160*H35mm	80	70lm/W	IP54	40pcs 54*37*38CM/cm

LED WALL LIGHT K-2362-6W



LED WALL LIGHT K-2362-10W



LED WALL LIGHT K-2362-2*6W



LED WALL LIGHT K-2362-2*10W



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
6W	Aluminum +Acrylic	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	L158*W61*H100mm	80	70lm/W	IP54	40pcs 71.5×25.5×45cm
10W	Aluminum +Acrylic	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	L260*W61*H100mm	80	70lm/W	IP54	20pcs 76.5×23.5×46.5cm
2*6W	Aluminum +Acrylic	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	L158*W61*H100mm	80	70lm/W	IP54	40pcs 71.5×25.5×45cm
2*10W	Aluminum +Acrylic	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	L260*W61*H100mm	80	70lm/W	IP54	20pcs 76.5×23.5×46.5cm

LED WALL LIGHT K-2368-2*7W





LED WALL LIGHT K-2368-7W



LED WALL LIGHT K-2368-2*7W





LED WALL LIGHT K-2368-7W



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Aluminum +Acrylic	BK	WW/WH	SMD	AC85-265V 50/60Hz	D100*H90mm	80	70lm/W	IP54	30pcs 60*25*29cm
2*7W	Aluminum +Acrylic	BK	WW/WH	SMD	AC85-265V 50/60Hz	D100*H135mm	80	70lm/W	IP54	30pcs 60*25*47cm



LED WALL LIGHT-K2376

lines and circles make lghting more colorful

7W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH	D120*H80mm
COB	WH / WW	20PCS 64×26×47CM

Patent Number:ZL 2020 3 0713625.9

LED WALL LIGHT K-2386-1



LED WALL LIGHT K-2386-2





LED WALL LIGHT K-2386-3



LED WALL LIGHT K-2386-4



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
5W	Die-cast Aluminum	BK	WW/WH	SMD	AC85-265V 50/60Hz	D80*H90mm	80	70lm/W	IP54	24pcs 42×22×32cm



LED WALL LIGHT-K2392

lines and circles make lghting more colorful

13W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH	L200*W65*H45mm
COB+SMD	WH / WW	50PCS 48×38×38CM

LED WALL LIGHT K-2394-2*3W+4W





LED WALL LIGHT K-2394-2*5W+6W





LED WALL LIGHT K-2394-2*7W+8W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*3W+3W	Aluminum +Acrylic	BK/WH	WW/WH	SMD+COB	AC85-265V 50/60Hz	L155*W55*H60mm	80	70lm/W	IP54	50pcs 36.5*36.5*41cm
2*3W+4W	Aluminum +Acrylic	BK/WH	WW/WH	SMD+COB	AC85-265V 50/60Hz	L220*W55*H60mm	80	70lm/W	IP54	20pcs 45*18.5*45.5cm
2*3W+5W	Aluminum +Acrylic	BK/WH	WW/WH	SMD+COB	AC85-265V 50/60Hz	L250*W55*H60mm	80	70lm/W	IP54	20pcs 42*42*34cm

LED WALL LIGHT K-2396-3W







LED WALL LIGHT K-2396-2*3W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Aluminum	BK/WH	WW/WH	COB	AC85-265V 50/60Hz	L90*W68*H65mm	80	70lm/W	IP54	50pcs 46*46*21cm
2*3W	Aluminum	BK/WH	WW/WH	COB	AC85-265V 50/60Hz	L90*W68*H76mm	80	70lm/W	IP54	50pcs 46*46*21cm



LED WALL LIGHT-K2397

Creating a Warm and Comfortable Atmosphere Space

2*1W /2*3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH/GY/GD	L80*W50*H40mm
SMD / COB	WH / WW	50PCS 30.5*22*30.5CM

专利产品 Patent Product

Patent Number:ZL 2020 3 0185438.8



LED WALL LIGHT K-23106-4W



LED WALL LIGHT K-23106-4W+1W





LED WALL LIGHT K-23106-6W





LED WALL LIGHT K-23106-6W+1W



LED WALL LIGHT K-23106-8W



LED WALL LIGHT K-23106-8W+1W



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
4W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD/COB	AC85-265V 50/60Hz	L100*W100*H60mm	80	70lm/W	IP54	50pcs 43×43×34cm
6W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD/COB	AC85-265V 50/60Hz	L120*W120*H50mm	80	70lm/W	IP54	20pcs 27*27*38cm
8W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD/COB	AC85-265V 50/60Hz	L160*W160*H60mm	80	70lm/W	IP54	50pcs 43×43×34cm
4W+1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD/COB	AC85-265V 50/60Hz	L100*W100*H60mm	80	70lm/W	IP54	50pcs 43×43×34cm
6W+1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD/COB	AC85-265V 50/60Hz	L120*W120*H50mm	80	70lm/W	IP54	20pcs 27*27*38cm
8W+1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD/COB	AC85-265V 50/60Hz	L160*W160*H50mm	80	70lm/W	IP54	50pcs 43×43×34cm



LED WALL LIGHT-K2314

Creating a Warm and Comfortable Atmosphere Space

2*3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH/GY/GD	L100*W100*H100mm
LED	WH / WW	50PCS 57×23.5×50CM

LED WALL LIGHT K-23107





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
4*1W	Die-cast Aluminum	BK/GY/WH	WW/WH	SMD/COB	AC85-265V 50/60Hz	L100*W100*H35mm	80	70lm/W	IP54	20pcs 47×40×20cm
4*3W	Die-cast Aluminum	BK/GY/WH	WW/WH	COB	AC85-265V 50/60Hz	L100*W100*H35mm	80	70lm/W	IP54	20pcs 47×40×20cm
4*3W	Die-cast Aluminum	BK/GY/WH	WW/WH	CREE	AC85-265V 50/60Hz	L100*W100*H35mm	80	70lm/W	IP54	20pcs 47×40×20cm

LED WALL LIGHT K-23108







LED WALL LIGHT K-23108





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	L178*W55*H52mm	80	70lm/W	IP54	50pcs 34.5*34.5*41cm
2*3W	Die-cast Aluminum	BK/WH/GY	WW/WH	CREE	AC85-265V 50/60Hz	L178*W55*H52mm	80	70lm/W	IP54	50pcs 34.5*34.5*41cm
2*3W	Die-cast Aluminum	BK/WH/GY	WW/WH	COB	AC85-265V 50/60Hz	L178*W55*H52mm	80	70lm/W	IP54	50pcs 34.5*34.5*41cm

LED WALL LIGHT K-23109





LED WALL LIGHT K-23109





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*2*1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	L157*W60*H65mm	80	70lm/W	IP54	50pcs 43×43×34cm
3*2*1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	L210*W60*H65mm	80	70lm/W	IP54	20pcs 52×22×42cm



LED WALL LIGHT K-23110





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	L170*W170*H57mm	80	70lm/W	IP54	50pcs 43×43×34cm
2*3W	Die-cast Aluminum	BK/WH/GY	WW/WH	CREE	AC85-265V 50/60Hz	L170*W170*H57mm	80	70lm/W	IP54	20pcs 52×22×42cm
2*3W	Die-cast Aluminum	BK/WH/GY	WW/WH	COB	AC85-265V 50/60Hz	L170*W170*H57mm	80	70lm/W	IP54	20pcs 52×22×42cm



LED WALL LIGHT K-23111





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1*1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	L150*W110*H55mm	80	70lm/W	IP54	50pcs 43×43×34cm
1*3W	Die-cast Aluminum	BK/WH/GY	WW/WH	CREE	AC85-265V 50/60Hz	L150*W110*H55mm	80	70lm/W	IP54	20pcs 52×22×42cm
1*3W	Die-cast Aluminum	BK/WH/GY	WW/WH	COB	AC85-265V 50/60Hz	L150*W110*H55mm	80	70lm/W	IP54	20pcs 52×22×42cm

LED WALL LIGHT K-23112-2*2*1W



LED WALL LIGHT K-23112-3*2*1W





LED WALL LIGHT K-K-23112-4*2*1W





LED WALL LIGHT K-K-23112-5*2*1W



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*2*1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	L115*W80*H40mm	80	70lm/W	IP54	40pcs 38.5×25×20cm
3*2*1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	L160*W80*H40mm	80	70lm/W	IP54	40pcs 38.5×25.5×28cm
4*2*1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	L220*W80*H40mm	80	70lm/W	IP54	20pcs 38.5×27.5×38cm
5*2*1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	L260*W80*H40mm	80	70lm/W	IP54	20pcs 38.5×29.5×25cm

LED WALL LIGHT-K2385

lines and circles make lghting more colorful

2*3W/2*1W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH/WH+GD	L155*W90*H59mm
SMD/COB CREE	WH / WW	24PCS 42×22×32CM



LED WALL LIGHT-K23101

lines and circles make lghting more colorful

2*3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH/WH+GD	L300*H30*W90mm
COB	WH / WW	24PCS 42×22×32CM

LED WALL LIGHT-K23105

lines and circles make lghting more colorful

2*3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH/WH+GD	L220*W185*W80mm
COB	WH / WW	24PCS 42×22×32CM

LED WALL LIGHT-K23117

lines and circles make lghting more colorful

4*3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH/GY	L95*W95*W70mm
COB	WH / WW	50PCS 42×22×32CM



LED WALL LIGHT-K23119

lines and circles make lghting more colorful

4*3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH/GY	L95*W95*W70mm
COB	WH / WW	50PCS 42×22×32CM



LED WALL LIGHT-K2391

lines and circles make lghting more colorful

2*3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH WH+GD/BK+GD	L250*W90*W35mm
COB	WH / WW	50PCS 42×22×32CM

LED WALL LIGHT K-2335-5-7 W







LED WALL LIGHT K-2396-2*3W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Aluminum	BK/WH	WW/WH	COB	AC85-265V 50/60Hz	L130*W65*H50mm	80	70lm/W	IP54	50pcs 46*46*21cm
12W	Aluminum	BK/WH	WW/WH	COB	AC85-265V 50/60Hz	L200*W100*H80mm	80	70lm/W	IP54	50pcs 46*46*21cm

LED WALL LIGHT K-2355-6-2*2-1W



LED WALL LIGHT K-2355-6-2*3-1W





LED WALL LIGHT K-2355-6-2*4-1W



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*2*1W	Die-cast Aluminum	BK+GD/WH+GD	WW/WH	SMD	AC85-265V 50/60Hz	L100*W90*H50mm	80	70lm/W	IP54	20pcs 25.5*27.5*39cm
2*3*1W	Die-cast Aluminum	BK+GD/WH+GD	WW/WH	SMD	AC85-265V 50/60Hz	L150*W90*H50mm	80	70lm/W	IP54	20pcs 25.5*27.5*39cm
2*4*1W	Die-cast Aluminum	BK+GD/WH+GD	WW/WH	SMD	AC85-265V 50/60Hz	L210*W90*H50mm	80	70lm/W	IP54	40pcs 54*37*38CM/cm



LED WALL LIGHT K-23136-3+1W





LED WALL LIGHT K-23136-6+1W





LED WALL LIGHT K-23136-9+1W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3+1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	D120*H50mm	80	70lm/W	IP54	20pcs 25.5*27.5*39cm
6+1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	D160*H50mm	80	70lm/W	IP54	20pcs 25.5*27.5*39cm
9+1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	D210*H50mm	80	70lm/W	IP54	40pcs 54*37*38CM/cm



LED WALL LIGHT K-23137







LED WALL LIGHT K-23137



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
4W	Aluminum +Acrylic	BK/GY/WH	WW/WH	COB	AC85-265V 50/60Hz	L100*W80*H50mm	80	70lm/W	IP54	50pcs 73×29×42cm
8W	Aluminum +Acrylic	BK/GY/WH	WW/WH	COB	AC85-265V 50/60Hz	L190*W80*H50mm	80	70lm/W	IP54	50pcs 46*30.5*47.5cm

LED WALL LIGHT K-23135-6*1W



LED WALL LIGHT K-23135-8*1W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
6*1W	Die-cast Aluminum	BK+GD/WH+GD	WW/WH	COB	AC85-265V 50/60Hz	L140*W80*H50mm	80	70lm/W	IP54	10pcs 55*44*33cm
8*1W	Die-cast Aluminum	BK+GD/WH+GD	WW/WH	COB	AC85-265V 50/60Hz	L190*W80*H50mm	80	70lm/W	IP54	10pcs 55*44*33cm

LED WALL LIGHT-K23101

lines and circles make lghting more colorful

2*1W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH	L160*W50*W45mm
COB	WH / WW	50PCS 42×22×32CM



LED WALL LIGHT-K2317-1

lines and circles make lghting more colorful

9W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH/GY	D110*H160mm
CREE	WH / WW	50PCS 42×22×32CM



LED WALL LIGHT-K2318

lines and circles make lghting more colorful

9W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH/GY	L140*W65*W70 mm
CREE	WH / WW	50PCS 42×22×32CM



LED WALL LIGHT-K2302

lines and circles make lghting more colorful

2*10W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH/GY	D65*H186 mm
COB LENS	WH / WW	50PCS 42×22×32CM



LED WALL LIGHT K-2311-1W/3W









LED WALL LIGHT K-2311-2*1W/2*3W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1W	Aluminum	BK/GY/WH	WW/WH	SMD	AC85-265V 50/60Hz	L95*W40*H60mm	80	70lm/W	IP54	50pcs 73×29×42cm
3W	Aluminum	BK/GY/WH	WW/WH	COB / CREE	AC85-265V 50/60Hz	L95*W40*H60mm	80	70lm/W	IP54	50pcs 46*30.5*47.5cm
2*1W	Aluminum	BK/GY/WH	WW/WH	SMD	AC85-265V 50/60Hz	L135*W40*H55mm	80	70lm/W	IP54	50pcs 73×29×42cm
2*3W	Aluminum	BK/GY/WH	WW/WH	COB / CREE	AC85-265V 50/60Hz	L135*W40*H55mm	80	70lm/W	IP54	50pcs 46*30.5*47.5cm



LED WALL LIGHT-K2334

Creating a Warm and Comfortable Atmosphere Space

2*1W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/WH	L105*W55*H30mm
SMD	WH / WW	50PCS 30.5*22*30.5CM

LED WALL LIGHT K-23115-2*2*1W





LED WALL LIGHT K-23115-2*3*1W





LED WALL LIGHT K-23115-2*4*1W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*2*1W	Die-cast Aluminum	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	L120*W80*H35mm	80	70lm/W	IP54	40pcs 38*25.5*28cm
2*3*1W	Die-cast Aluminum	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	L120*W120*H35mm	80	70lm/W	IP54	40pcs 38*27*38cm
2*4*1W	Die-cast Aluminum	BK/WH	WW/WH	SMD	AC85-265V 50/60Hz	L120*W160*H35mm	80	70lm/W	IP54	20pcs 38*29.5*25cm



LED WALL LIGHT K-2379-2*2*1W





LED WALL LIGHT K-2379-4*2*1W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*2*1W	Aluminum	BK/GY/WH	WW/WH	SMD	AC85-265V 50/60Hz	L100*W100*H40mm	80	70lm/W	IP54	20pcs 27×24×24cm
4*2*1W	Aluminum	BK/GY/WH	WW/WH	SMD	AC85-265V 50/60Hz	L140*W140*H40mm	80	70lm/W	IP54	20pcs 27*24*24cm





LED WALL LIGHT-K23123

Creating a Warm and Comfortable Atmosphere Space

2*3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	WH+GD/WH BK+GD / BK	L122*W104*H48mm
SMD	WH / WW	20PCS 57*24*24CM



LED WALL LIGHT K-2327-5W







LED WALL LIGHT K-2327-5 +2W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
5W	Aluminum	BK/GY/WH/GD	WW/WH	COB	AC85-265V 50/60Hz	L170*W85*H100mm	80	70lm/W	IP54	20pcs 27×24×24cm
5+2W	Aluminum	BK/GY/WH/GD	WW/WH	COB	AC85-265V 50/60Hz	L170*W85*H100mm	80	70lm/W	IP54	20pcs 27*24*24cm

LED WALL LIGHT K-2322-3-5W+2W



LED WALL LIGHT K-2322-3-6W+2W







LED WALL LIGHT K-2322-3-8W+2W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
5*1W+2W	Die-cast Aluminum	BK/WH/GY	WW/WH	COB	AC85-265V 50/60Hz	D189*H46mm	80	70lm/W	IP54	40pcs 38*25.5*28cm
6*1W+2W	Die-cast Aluminum	BK/WH/GY	WW/WH	COB	AC85-265V 50/60Hz	D225*H50mm	80	70lm/W	IP54	40pcs 38*27*38cm
8*1W+2W	Die-cast Aluminum	BK/WH/GY	WW/WH	COB	AC85-265V 50/60Hz	D248*H58mm	80	70lm/W	IP54	20pcs 38*29.5*25cm



LED WALL LIGHT-K2335-2

Creating a Warm and Comfortable Atmosphere Space

- 2*3W/2*5W 2*7W/2*10W
- DIE-CAST ALUMINUM
- AC85-265V 50/60HZ
- IP 54
- WH/BK/GY
- L200*W100*H100mm
- COB
- WH / WW
- 20PCS 57*24*24CM

LED WALL LIGHT K-23162-2+1W





LED WALL LIGHT K-23162-3+2W





LED WALL LIGHT K-23162-4+3W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2+1W	Die-cast Aluminum	BK/WH/GY+GD	WW/WH	SMD	AC85-265V 50/60Hz	L116*W118*H42mm	80	70lm/W	IP54	20pcs 25.5*27.5*39cm
3+2W	Die-cast Aluminum	BK/WH/GY+GD	WW/WH	SMD	AC85-265V 50/60Hz	L170*W118*H42mm	80	70lm/W	IP54	20pcs 25.5*27.5*39cm
4+3W	Die-cast Aluminum	BK/WH/GY+GD	WW/WH	SMD	AC85-265V 50/60Hz	L224*W118*H42mm	80	70lm/W	IP54	40pcs 54*37*38CM/cm

LED WALL LIGHT K-23163-2*1*1W







LED WALL LIGHT K-23163-2*3*1W







LED WALL LIGHT K-23163-2*4*1W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*1*1W	Die-cast Aluminum	BK/WH/GY+GD	WW/WH	SMD	AC85-265V 50/60Hz	L80*W92*H42mm	80	70lm/W	IP54	20pcs 25.5*27.5*39cm
2*3*1W	Die-cast Aluminum	BK/WH/GY+GD	WW/WH	SMD	AC85-265V 50/60Hz	L170*W72*H42mm	80	70lm/W	IP54	20pcs 25.5*27.5*39cm
2*4*1W	Die-cast Aluminum	BK/WH/GY+GD	WW/WH	SMD	AC85-265V 50/60Hz	L224*W72*H42mm	80	70lm/W	IP54	40pcs 54*37*38CM/cm





LED WALL LIGHT-K23165

Creating a Warm and Comfortable Atmosphere Space

2*5W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	WH/BK GY+GD	L320*W60*H60mm
SMD	WH / WW	20PCS 57*24*24CM

LED WALL LIGHT K-23164-2*2*1W

LED WALL LIGHT K-23164-2*3*1W



LED WALL LIGHT K-23164-2*4*1W

LED WALL LIGHT K-23164-2*5*1W

Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2*2*1W	Aluminum	BK/WH/GY+GD	WW/WH	SMD	AC85-265V 50/60Hz	L94*W72*H40mm	80	70lm/W	IP54	40pcs 71.5×25.5×45cm
2*3*1W	Aluminum	BK/WH/GY+GD	WW/WH	SMD	AC85-265V 50/60Hz	L136*W72*H40mm	80	70lm/W	IP54	20pcs 76.5×23.5×46.5cm
2*4*1W	Aluminum	BK/WH/GY+GD	WW/WH	SMD	AC85-265V 50/60Hz	L178*W72*H40mm	80	70lm/W	IP54	40pcs 71.5×25.5×45cm
2*5*1W	Aluminum	BK/WH/GY+GD	WW/WH	SMD	AC85-265V 50/60Hz	L220*W72*H40mm	80	70lm/W	IP54	20pcs 76.5×23.5×46.5cm



LED WALL LIGHT-K2336

Creating a Warm and Comfortable Atmosphere Space

2*5W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	WH/BK/GY	L190*W95*H110mm
COB	WH / WW	20PCS 57*24*24CM

LED WALL LIGHT K-2322-2-4*1W







LED WALL LIGHT K-2322-2 -4*3W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
4*1W	Aluminum	BK/GY/WH	WW/WH	SMD	AC85-265V 50/60Hz	L180*W180*H50mm	80	70lm/W	IP54	20pcs 27×24×24cm
4*3W	Aluminum	BK/GY/WH	WW/WH	COB/CREE	AC85-265V 50/60Hz	L180*W180*H50mm	80	70lm/W	IP54	20pcs 27*24*24cm





LED WALL LIGHT-K2391-1

Creating a Warm and Comfortable Atmosphere Space

2*3W 2*5W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	WH/BK/GY	L250*W90*H35mm
COB	WH / WW	20PCS 57*24*24CM



LED WALL LIGHT-K23120

Creating a Warm and Comfortable Atmosphere Space

2*5W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	WH+GD BK+GD	L190*W100*H90mm
COB	WH / WW	20PCS 57*24*24CM

LED WALL LIGHT K-23142-2*3W+2W







LED WALL LIGHT K-23142-3*3W+2W





LED WALL LIGHT K-23142-4*3W+2W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3+1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	L210*W98*H60mm	80	70lm/W	IP54	20pcs 25.5*27.5*39cm
6+1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	L223*W167*H60mm	80	70lm/W	IP54	20pcs 25.5*27.5*39cm
9+1W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	L235*W235*H60mm	80	70lm/W	IP54	40pcs 54*37*38CM/cm

LED STAIR LIGHT

follow your inclinations ,adjust the light you like



LED STAIR LIGHT K-2401-GRILL







LED STAIR LIGHT K-2401-FROST



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Stainless Steel	SS	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L70*W70*H50mm	80	70lm/W	IP54	50pcs 37×27×16cm
3W	Stainless Steel	SS	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L105*W105*H55mm	80	70lm/W	IP54	50pcs 55×30×23cm

LED STAIR LIGHT K-2402-GRILL





LED STAIR LIGHT K-2402-FROST





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Stainless Steel	SS	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L110*W45*H50mm	80	70lm/W	IP54	100pcs 52*25*34cm
4W	Stainless Steel	SS	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L170*W70*H55mm	80	70lm/W	IP54	50pcs 68*40.5*19cm

LED STAIR LIGHT K-2403





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L145*W70*H50mm	80	70lm/W	IP54	50pcs 52×34.5×13.5cm
5W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L165*W100*H55mm	80	70lm/W	IP54	25pcs 42.5×17.8×42.5cm

LED STAIR LIGHT K-2405-SMD-6W



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
6W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L210*W60*H55mm	80	70lm/W	IP54	50pcs 67*36*24CMcm







LED STAIR LIGHT-K2405

Follow Your Inclinations ,Adjust The Light You Like

3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/GY/WH	L60*H210*W55MM
LED	WW/WH/BL GR/YL/PK	50PCS 67*36*24CMCM







LED STAIR LIGHT-K2407

Follow Your Inclinations ,Adjust The Light You Like

3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/GY/WH	L86*W86*H30MM
LED	WW/WH/BL GR/YL/PK	100PCS 46×37×29.5CM

LED STAIR LIGHT K-2406-SMD-3W







LED STAIR LIGHT K-2406-COB-5W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L105*W60*H55mm	80	70lm/W	IP54	100pcs 34×33×46cm
5W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	COB	AC85-265V 50/60Hz	L60*W105*H55mm	80	70lm/W	IP54	100pcs 34×33×46cm







LED STAIR LIGHT-K2406

Follow Your Inclinations ,Adjust The Light You Like

3W	DIE-CAST ALUMINUM	AC85-265V 50/60HZ
IP 54	BK/GY/WH	L105*W60*H55MM
LED	WW/WH/BL GR/YL/PK	100PCS 34*33*46CM

LED STAIR LIGHT K-2407-SQUARE







LED STAIR LIGHT K-2407-ROUND





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	COB	AC85-265V 50/60Hz	L58*W58*H30mm	80	70lm/W	IP54	100pcs 37×37×26cm
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L86*W86*H30mm	80	70lm/W	IP54	100pcs 46×37×29.5cm
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	COB	AC85-265V 50/60Hz	D85*H30mm	80	70lm/W	IP54	100pcs 46×37×29.5cm

LED STAIR LIGHT K-2408-FROST



LED STAIR LIGHT K-2408-SIDE LIGHTING



LED STAIR LIGHT K-2408-TRANSPARENT



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L112*W78*H31mm	80	70lm/W	IP54	50pcs 48×48×26cm
6W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L225*W80*H31mm	80	70lm/W	IP54	50pcs 48×48×26cm

LED STAIR LIGHT K-2409-ROUND





LED STAIR LIGHT K-2409-SQUARE





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
6W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	D118*H33mm	80	70lm/W	IP54	40pcs 57×23×46cm
12W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	D200*H33mm	80	70lm/W	IP54	20pcs 64×26×47cm

LED STAIR LIGHT K-2410-5W





LED STAIR LIGHT K-2410-6W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
5W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L115*W85*H55mm	80	70lm/W	IP54	20pcs 38*32*24cm
6W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L215*W85*H55mm	80	70lm/W	IP54	20pcs 27*21*29cm

LED STAIR LIGHT K-2411





LED STAIR LIGHT K-2411





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	COB	AC85-265V 50/60Hz	L55*W55*H30mm	80	70lm/W	IP54	100pcs 37×37×26cm
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L86*W86*H30mm	80	70lm/W	IP54	50pcs 48.5*20.5*34.5cm
5W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L115*W85*H55mm	80	70lm/W	IP54	20pcs 38*32*24cm

LED STAIR LIGHT K-2412





LED STAIR LIGHT K-2412





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	COB	AC85-265V 50/60Hz	L55*W55*H30mm	80	70lm/W	IP54	100pcs 37×37×26cm
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L86*W86*H30mm	80	70lm/W	IP54	50pcs 48.5*20.5*34.5cm
5W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L115*W85*H55mm	80	70lm/W	IP54	20pcs 38*32*24cm

LED STAIR LIGHT K-2413





LED STAIR LIGHT K-2413





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L58*W58*H30mm	80	70lm/W	IP54	100pcs 37×37×26cm
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L86*W86*H30mm	80	70lm/W	IP54	50pcs 48.5*20.5*34.5cm
5W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	SMD	AC85-265V 50/60Hz	L115*W85*H55mm	80	70lm/W	IP54	20pcs 38*32*24cm

LED STAIR LIGHT K-2415-ROUND







LED STAIR LIGHT K-2415-SQUARE





LED STAIR LIGHT K-2415-RECTANGLE

Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1W / 3W	Alloy Alu	BK/GY/WH	WW/WH/BL/GR YL/PK	LED	AC85-265V 50/60Hz	D60*H68mm	80	70lm/W	IP54	100pcs 63*32.5*24cm
1W / 3W	Alloy Alu	BK/GY/WH	WW/WH/BL/GR YL/PK	LED	AC85-265V 50/60Hz	L60*W60*H68mm	80	70lm/W	IP54	100pcs 63*32.5*24cm
1W / 3W	Alloy Alu	BK/GY/WH	WW/WH/BL/GR YL/PK	LED	AC85-265V 50/60Hz	D80*H68mm	80	70lm/W	IP54	100pcs 63*32.5*24cm
1W / 3W	Alloy Alu	BK/GY/WH	WW/WH/BL/GR YL/PK	LED	AC85-265V 50/60Hz	L80*W80*H68mm	80	70lm/W	IP54	100pcs 63*32.5*24cm
1W / 3W	Alloy Alu	BK/GY/WH	WW/WH/BL/GR YL/PK	LED	AC85-265V 50/60Hz	L60*W80*H68mm	80	70lm/W	IP54	100pcs 63*32.5*24cm

LED STAIR LIGHT K-2420-SQUARE





LED STAIR LIGHT K-2420-ROUND





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	COB	AC85-265V 50/60Hz	L52*W52*H82mm	80	70lm/W	IP54	100pcs 34.5×28×29cm
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	COB	AC85-265V 50/60Hz	D52*H82mm	80	70lm/W	IP54	100pcs 34.5×28×29cm

Patent Number:ZL 2020 3 0441891.0

LED STAIR LIGHT K-2422

Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	BK/GY/WH	WW/WH/BL/GR YL/PK	COB	AC85-265V 50/60Hz	D85*H30mm	80	70lm/W	IP54	100pcs 46×37×29.5cm

Patent Number:ZL 2020 3 0806993.8



LED STAIR LIGHT K-2424







LED STAIR LIGHT K-2424







LED STAIR LIGHT K-2424







LED STAIR LIGHT K-2424







LED STAIR LIGHT K-2424







LED STAIR LIGHT K-2424





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2W	Die-cast Aluminum	WH/BK/GY GD/CH/AB/RB	WW/WH	CREE SMD	AC85-265V 50/60Hz	L90*W90*H45mm	80	70lm/W	IP54	50pcs 55×30×23cm

PIR Motion Sensor

The light can only be turned on in a **very dark environment(Less than 10 lux environment)**or **at night**.
Sensing range is **2-3 meters**
When the person leaves for **25-30 seconds**,the light will turn off

Patent Number:ZL 2020 3 0441891.0

LED STAIR LIGHT K-2407-PIR





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	BK/GY	WW/WH	COB	AC85-265V 50/60Hz	D85*H30mm	80	70lm/W	IP54	100pcs 46×37×29.5cm

LED GARDEN LIGHT

Bright, Beauty of Illuminating Space

LED GARDEN LIGHT K-2501-3W





LED GARDEN LIGHT K-2501-10W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D42*L80mm	80	70lm/W	IP65	100pcs 29.5×25×44cm
10W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D85*L85mm	80	70lm/W	IP65	50pcs 52.5×49×43cm

LED GARDEN LIGHT K-2501-3W





LED GARDEN LIGHT K-2509-10W



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	BLACK	WW/WH/GR/RD YL/PP/PL/BL	LED	AC85-265V 50/60Hz	D42*L80mm	80	70lm/W	IP65	100pcs 57.5×28×24.5cm
10W	Die-cast Aluminum	BLACK	WW/WH/GR/RD YL/PP/PL/BL	LED	AC85-265V 50/60Hz	D70*L130mm	80	70lm/W	IP65	25pcs 49×49×18cm

LED GARDEN LIGHT K-2502-COB WITH LENS-5W/7W





LED GARDEN LIGHT K-2502-COB-5W





LED GARDEN LIGHT K-2502-SMD-6W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
5W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB with Lens	AC85-265V 50/60Hz	D65*L70mm	80	70lm/W	IP65	50pcs 34.5×34.5×35cm
7W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB with Lens	AC85-265V 50/60Hz	D65*L70mm	80	70lm/W	IP65	50pcs 34.5×34.5×35cm
5W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D65*L70mm	80	70lm/W	IP65	50pcs 34.5×34.5×35cm
6W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	SMD	AC85-265V 50/60Hz	D65*L60mm	80	70lm/W	IP65	50pcs 34.5×34.5×35cm

LED GARDEN LIGHT K-2503-ALUMINUM/PLASTIC-COB







LED GARDEN LIGHT K-2503-PLASTIC-SMD



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
5W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D65*L80mm	80	70lm/W	IP65	60pcs 56*32*37cm
5W	Plastic	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D65*L80mm	80	70lm/W	IP65	60pcs 56*32*37cm
6W	Plastic	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	SMD	AC85-265V 50/60Hz	D65*L80mm	80	70lm/W	IP65	60pcs 56*32*37cm

LED GARDEN LIGHT K-2504-COB-7W





LED GARDEN LIGHT K-2504-COB WITH LENS-7W/10W/12W/15W





LED GARDEN LIGHT K-2504-SMD WITH LENS-7W/12W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D75*L75mm	80	70lm/W	IP65	50pcs 67×34.5×18.5cm
7W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB with Lens	AC85-265V 50/60Hz	D75*L75mm	80	70lm/W	IP65	50pcs 67×34.5×18.5cm
10W/12W/15W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB with Lens	AC85-265V 50/60Hz	D98*L98mm	80	70lm/W	IP65	50pcs 52.5×49×43cm
7W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	SMD with Lens	AC85-265V 50/60Hz	D75*L75mm	80	70lm/W	IP65	50pcs 67×34.5×18.5cm
12W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	SMD with Lens	AC85-265V 50/60Hz	D98*L98mm	80	70lm/W	IP65	50pcs 52.5×49×43cm

LED GARDEN LIGHT K-2505-COB







LED GARDEN LIGHT K-2505-SMD



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D95*L75mm	80	70lm/W	IP65	50pcs 74.5*21.5*52cm
10W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D95*L75mm	80	70lm/W	IP65	50pcs 74.5*21.5*52cm
12W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	SMD	AC85-265V 50/60Hz	D95*L75mm	80	70lm/W	IP65	50pcs 74.5*21.5*52cm

LED GARDEN LIGHT K-2506



LED GARDEN LIGHT K-2506-GU10/GU5.3





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
5W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D85*L150*H210mm	80	70lm/W	IP65	50pcs 52.5*49*43cm
7W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D85*L150*H210mm	80	70lm/W	IP65	50pcs 52.5*49*43cm
10W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D85*L150*H210mm	80	70lm/W	IP65	50pcs 52.5×49×43cm
GU10-GU5.3	Die-cast Aluminum	BLACK	/	/	/	D85*L150*H210mm	/	/	/	50pcs 52.5×49×43cm

LED GARDEN LIGHT K-2507

LED GARDEN LIGHT K-2507

LED GARDEN LIGHT K-2507



LED GARDEN LIGHT K-2507







LED GADEN LIGHT K-2507

Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
5W	Die-cast Aluminum	GRAY	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D55*L270mm	80	70lm/W	IP65	50pcs 67×34.5×18.5cm

LED GARDEN LIGHT K-2511-10W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
10W	Die-cast Aluminum	SILVER/GOLD	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D106*L105mm	80	70lm/W	IP65	50pcs 52.5×49×43cm

LED GARDEN LIGHT K-2512-COB





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Die-cast Aluminum	BK/GY/WH	WW/WH/GR/RD BL/RGB	COB wiht lens	AC85-265V 50/60Hz	D80*W145*L210mm	80	70lm/W	IP65	50pcs 52.5×49×43cm
9W	Die-cast Aluminum	BK/GY/WH	WW/WH/GR/RD BL/RGB	COB wiht lens	AC85-265V 50/60Hz	D80*W145*L210mm	80	70lm/W	IP65	50pcs 52.5×49×43cm
10W	Die-cast Aluminum	BK/GY/WH	WW/WH/GR/RD BL/RGB	COB wiht lens	AC85-265V 50/60Hz	D80*W145*L210mm	80	70lm/W	IP65	50pcs 52.5×49×43cm
12W	Die-cast Aluminum	BK/GY/WH	WW/WH/GR/RD BL/RGB	COB wiht lens	AC85-265V 50/60Hz	D80*W145*L210mm	80	70lm/W	IP65	50pcs 52.5×49×43cm

LED GARDEN LIGHT K-2514-COB





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Die-cast Aluminum	BK/GY/WH	WW/WH/GR/RD BL/RGB	COB wiht lens	AC85-265V 50/60Hz	D80*W145*L210mm	80	70lm/W	IP65	50pcs 52.5×49×43cm
9W	Die-cast Aluminum	BK/GY/WH	WW/WH/GR/RD BL/RGB	COB wiht lens	AC85-265V 50/60Hz	D80*W145*L210mm	80	70lm/W	IP65	50pcs 52.5×49×43cm
10W	Die-cast Aluminum	BK/GY/WH	WW/WH/GR/RD BL/RGB	COB wiht lens	AC85-265V 50/60Hz	D80*W145*L210mm	80	70lm/W	IP65	50pcs 52.5×49×43cm
12W	Die-cast Aluminum	BK/GY/WH	WW/WH/GR/RD BL/RGB	COB wiht lens	AC85-265V 50/60Hz	D80*W145*L210mm	80	70lm/W	IP65	50pcs 52.5×49×43cm

LED GARDEN LIGHT K-2519-12W



LED GARDEN LIGHT K-2519-18W



LED GARDEN LIGHT K-2519-24W



LED GADEN LIGHT K-2519-30W



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
12W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	SMD	AC85-265V 50/60Hz	D95*H80mm	80	70lm/W	IP65	30pcs 50×36.5×44cm
18W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	SMD	AC85-265V 50/60Hz	D130*H95mm	80	70lm/W	IP65	12pcs 62×32.5×23cm
24W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	SMD	AC85-265V 50/60Hz	D150*H95mm	80	70lm/W	IP65	10pcs 35.5×18.5×56.5cm
30W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	SMD	AC85-265V 50/60Hz	D150*H95mm	80	70lm/W	IP65	8pcs 46×41×25.5cm

LED GARDEN LIGHT K-2519-1*10W

Patent Number:ZL 201830454663X





LED GARDEN LIGHT K-2519-3*7W

Patent Number:ZL 201830454663X





Patent Number:ZL 201830454663X

LED GARDEN LIGHT K-2519-4*7W





Patent Number:ZL 201830454663X

LED GARDEN LIGHT K-2519-6*7W





Patent Number:ZL 201830454663X

LED GADEN LIGHT K-2519-8*7W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1*10W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	COB	AC85-265V 50/60Hz	D95*H95mm	80	70lm/W	IP65	30pcs 39×26.5×52cm
3*7W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	COB	AC85-265V 50/60Hz	D130*H95mm	80	70lm/W	IP65	12pcs 36.5×30.5×32cm
4*7W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	COB	AC85-265V 50/60Hz	D150*H95mm	80	70lm/W	IP65	10pcs 35.5×18.5×56.5cm
6*7W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	COB	AC85-265V 50/60Hz	D180*H95mm	80	70lm/W	IP65	8pcs 46×41×25.5cm
8*7W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	COB	AC85-265V 50/60Hz	D230*H95mm	80	70lm/W	IP65	4pcs 59×26×26cm

LED GARDEN LIGHT K-2522-COB WIHT LENS-9W





LED GARDEN LIGHT K-2522-COB-12W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
9W	Die-cast Aluminum	BLACK	WW/WH/GR/RD BL/RGB	COB wiht lens	AC85-265V 50/60Hz	D60*L80mm	80	70lm/W	IP65	50pcs 67×34.5×18.5cm
12 W	Die-cast Aluminum	BLACK	WW/WH/GR/RD BL/RGB	COB	AC85-265V 50/60Hz	D60*L95mm	80	70lm/W	IP65	50pcs 52.5×49×43cm

LED GARDEN LIGHT K-2523-1*10W

Patent Number:ZL 2018304546659





Patent Number:ZL 2018304546659

LED GARDEN LIGHT K-2523-3*7W





Patent Number:ZL 2018304546659

LED GARDEN LIGHT K-2523-4*7W





Patent Number:ZL 2018304546659

LED GARDEN LIGHT K-2523-6*7W





Patent Number:ZL 2018304546659

LED GADEN LIGHT K-2523-8*7W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1*10W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	COB	AC85-265V 50/60Hz	D95*H95mm	80	70lm/W	IP65	30pcs 50×36.5×44cm
3*7W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	COB	AC85-265V 50/60Hz	D130*H95mm	80	70lm/W	IP65	12pcs 36.5×30.5×32cm
4*7W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	COB	AC85-265V 50/60Hz	D150*H95mm	80	70lm/W	IP65	10pcs 35.5×18.5×56.5cm
6*7W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	COB	AC85-265V 50/60Hz	D180*H95mm	80	70lm/W	IP65	8pcs 46×41×25.5cm
8*7W	Die-cast Aluminum	GRAY	WW/WH/GR/RD BL/RGB	COB	AC85-265V 50/60Hz	D230*H95mm	80	70lm/W	IP65	4pcs 59×26×26cm



LAMP BODY

Die-cast Aluminum lamp body is not easy to rust

[k-2529-GU10 / GU5.3]

PS:With GU10/GU5.3 Base,
No Bulb Inside

LED WALL LIGHT K-2529-GU10/GU5.3





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1*GU10	Die-cast Aluminum	Black	/	/	/	D100*L95mm	/	/	IP65	30pcs 54.5*33.5*38cm

Patent Number:ZL 2020 3 0388405.3

LED GARDEN LIGHT K-2530-SMD



SMD CHIP



Patent Number:ZL 2020 3 0388405.3

LED GARDEN LIGHT K-2530-COB



COB CHIP



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
6W	Die-cast Aluminum	BK/WH/GY	WW/WH/GR/RD YL/PL/BL	SMD	AC85-265V 50/60Hz	D58*L90mm	80	70lm/W	IP65	50pcs 52.5×49×43cm
5W/7W	Die-cast Aluminum	BK/WH/GY	WW/WH/GR/RD YL/PL/BL/RGB	COB	AC85-265V 50/60Hz	D58*L90mm	80	70lm/W	IP65	50pcs 52.5×49×43cm
9W/10W/12W	Die-cast Aluminum	BK/WH/GY	WW/WH/GR/RD YL/PL/BL/RGB	COB	AC85-265V 50/60Hz	D73*L115mm	80	70lm/W	IP65	50pcs 52.5×49×43cm

LED GARDEN LIGHT K-2531-COB





LED GARDEN LIGHT K-2531-COB



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
5W	Aluminum	BK	WW/WH	COB	AC85-265V 50/60Hz	D58*W175*L315mm	80	70lm/W	IP65	50pcs 36*34.5*37cm
7W	Aluminum	BK	WW/WH	COB	AC85-265V 50/60Hz	D58*W175*L315mm	80	70lm/W	IP65	50pcs 36*34.5*37cm
10W	Aluminum	BK	WW/WH	COB	AC85-265V 50/60Hz	D58*W175*L315mm	80	70lm/W	IP65	50pcs 36*34.5*37cm
GU10/5.3	Aluminum	BK	/	/	/	D58*W175*L315mm	/	/	IP65	50pcs 52.5×49×43cm

LED GARDEN LIGHT K-2532







Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
5W	Aluminum	BK	WW/WH	COB CHIP WITH LENS	AC85-265V 50/60Hz	D60*W55*L150mm	80	70lm/W	IP65	50pcs 36*34.5*37cm
7W	Aluminum	BK	WW/WH	COB CHIP WITH LENS	AC85-265V 50/60Hz	D60*W55*L150mm	80	70lm/W	IP65	50pcs 36*34.5*37cm
9W	Aluminum	BK	WW/WH	COB CHIP WITH LENS	AC85-265V 50/60Hz	D70*W60*L150mm	80	70lm/W	IP65	50pcs 36*34.5*37cm
12W	Aluminum	BK	WW/WH	COB CHIP WITH LENS	AC85-265V 50/60Hz	D70*W60*L150mm	80	70lm/W	IP65	50pcs 52.5×49×43cm

LED GARDEN LIGHT K-2502





LED GARDEN LIGHT K-2502-CAP



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Die-cast Aluminum	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D60*H180mm	80	70lm/W	IP65	50pcs 34.5*34.5*35cm
7W	Plastic	BLACK	WW/WH/GR/RD/YL PP/PL/BL/RGB	COB	AC85-265V 50/60Hz	D60*H180mm	80	70lm/W	IP65	50pcs 34.5*34.5*35cm

LED GROUND LIGHT

follow your inclinations ,adjust the light you like

LED GROUND LIGHT K-2801







Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2W	Aluminum	Black	WW/WH/BL/RD/GR YL/PK/PP	COB	AC85-265V 50/60Hz	D42*H82MM	80	70lm/W	IP65	100pcs 29.5×29.5×44cm
2W	Aluminum	Black	WW/WH/BL/RD/GR YL/PK/PP	COB	AC85-265V 50/60Hz	D52*H82MM	80	70lm/W	IP65	100pcs 29.5×29.5×44cm

LED GROUND LIGHT K-2801-ROUND







LED GROUND LIGHT K-2801-SQUARE







Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2W	Aluminum	Black	WW/WH/BL/RD/GR YL/PK/PP	COB	AC85-265V 50/60Hz	D42*H82MM	80	70lm/W	IP65	100pcs 29.5×29.5×44cm
2W	Aluminum	Black	WW/WH/BL/RD/GR YL/PK/PP	COB	AC85-265V 50/60Hz	D52*H82MM	80	70lm/W	IP65	100pcs 57.5×28×24.5cm
2W	Aluminum	Black	WW/WH/BL/RD/GR YL/PK/PP	COB	AC85-265V 50/60Hz	L42*W42*H82MM	80	70lm/W	IP65	100pcs 29.5×29.5×44cm
2W	Aluminum	Black	WW/WH/BL/RD/GR YL/PK/PP	COB	AC85-265V 50/60Hz	L52*W52*H82MM	80	70lm/W	IP65	100pcs 57.5×28×24.5cm

LED GROUND LIGHT K-2801



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Aluminum	Black/White	WW/WH	LED	AC85-265V 50/60Hz	D42/52*H82MM	80	70lm/W	IP65	100pcs 57.5×28×24.5cm

LED GROUND LIGHT K-2802





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1W	Die-cast Aluminum	Black	WW/WH	LED	AC85-265V 50/60Hz	D65*H80MM	80	70lm/W	IP65	50pcs 45×18.5×44.5cm
3W	Die-cast Aluminum	Black	WW/WH	LED	AC85-265V 50/60Hz	D80*H80MM	80	70lm/W	IP65	50pcs 45×18.5×44.5cm
5W	Die-cast Aluminum	Black	WW/WH	LED	AC85-265V 50/60Hz	D120*H90MM	80	70lm/W	IP65	30pcs 67×28×32cm
6W	Die-cast Aluminum	Black	WW/WH	LED	AC85-265V 50/60Hz	D120*H90MM	80	70lm/W	IP65	30pcs 67×28×32cm
9W	Die-cast Aluminum	Black	WW/WH	LED	AC85-265V 50/60Hz	D150*H90MM	80	70lm/W	IP65	20pcs 50×34×35cm
12W	Die-cast Aluminum	Black	WW/WH	LED	AC85-265V 50/60Hz	D160*H90MM	80	70lm/W	IP65	16pcs 42*38*38.5cm
18W	Die-cast Aluminum	Black	WW/WH	LED	AC85-265V 50/60Hz	D180*H90MM	80	70lm/W	IP65	12pcs 38×31.5×38.5cm
24W	Die-cast Aluminum	Black	WW/WH	LED	AC85-265V 50/60Hz	D200*H90MM	80	70lm/W	IP65	10pcs 52.5*26.5*43.5cm
36W	Die-cast Aluminum	Black	WW/WH	LED	AC85-265V 50/60Hz	D220*H90MM	80	70lm/W	IP65	12pcs 44×31.5×47.5cm

LED GROUND LIGHT K-2803





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D65*H75MM	80	70lm/W	IP65	50pcs 39.5×39.5×19.5cm
5W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D80*H75MM	80	70lm/W	IP65	50pcs 49.5×49.5×21cm
7W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D100*H90MM	80	70lm/W	IP65	20pcs 39.5×27×52.5cm
9W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D100*H90MM	80	70lm/W	IP65	20pcs 39.5×27×52.5cm
10W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D110*H90MM	80	70lm/W	IP65	20pcs 39.5×27×52.5cm
12W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D120/130*H90MM	80	70lm/W	IP65	20pcs 52×26.5×27cm
15W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D140/150*H90MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm
18W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D160/180*H90MM	80	70lm/W	IP65	12pcs 39×39×32cm
20W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D180/200*H90MM	80	70lm/W	IP65	10pcs 43×21.5×52.5cm

LED GROUND LIGHT K-2803DRK-3W,5W,7W,10W,12W





LED GROUND LIGHT K-2805DRK-15W,18W,20W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D65*H60MM	80	70lm/W	IP65	50pcs 39.5×39.5×19.5cm
5W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D80*H75MM	80	70lm/W	IP65	50pcs 49.5×49.5×21cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D100*H95MM	80	70lm/W	IP65	20pcs 39.5×27×52.5cm
10W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D110*H95MM	80	70lm/W	IP65	20pcs 39.5×27×52.5cm
12W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D130*H115MM	80	70lm/W	IP65	20pcs 52×26.5×27cm
15W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D150*H125MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm
18W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D160*H145MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm
20W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D180*H145MM	80	70lm/W	IP65	12pcs 39×39×32cm

LED GROUND LIGHT K-2803-3W,7W,12W Adjustable Lens





LED GROUND LIGHT K-2805-12W,18W,24W,30W Adjustable Lens



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	Black	WH/WW/BL/GR RD/RGB	SMD	AC85-265V 50/60Hz	D65*H60MM	80	70lm/W	IP65	50pcs 39.5×39.5×19.5cm
7W	Die-cast Aluminum	Black	WH/WW/BL/GR RD/RGB	SMD	AC85-265V 50/60Hz	D80*H75MM	80	70lm/W	IP65	50pcs 49.5×49.5×21cm
12W	Die-cast Aluminum	Black	WH/WW/BL/GR RD/RGB	SMD	AC85-265V 50/60Hz	D110*H95MM	80	70lm/W	IP65	20pcs 39.5×27×52.5cm
12W	Die-cast Aluminum	Black	WH/WW/BL/GR RD/RGB	SMD	AC85-265V 50/60Hz	D130*H115MM	80	70lm/W	IP65	20pcs 52×26.5×27cm
18W	Die-cast Aluminum	Black	WH/WW/BL/GR RD/RGB	SMD	AC85-265V 50/60Hz	D160*H145MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm
24W	Die-cast Aluminum	Black	WH/WW/BL/GR RD/RGB	SMD	AC85-265V 50/60Hz	D180*H155MM	80	70lm/W	IP65	12pcs 39×39×32cm
30W	Die-cast Aluminum	Black	WH/WW/BL/GR RD/RGB	SMD	AC85-265V 50/60Hz	D180*H155MM	80	70lm/W	IP65	12pcs 39×39×32cm

LED GROUND LIGHT K-2803QCS





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
5W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D80*H75MM	80	70lm/W	IP65	50pcs 49.5×49.5×21cm
7W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D80*H75MM	80	70lm/W	IP65	50pcs 49.5×49.5×21cm
10W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D100*H75MM	80	70lm/W	IP65	20pcs 39.5×27×52.5cm
12W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D120*H90MM	80	70lm/W	IP65	20pcs 39.5×27×52.5cm

LED GROUND LIGHT K-2805





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
15W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D140/150/160* H90MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm
18W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D160/170/180* H90MM	80	70lm/W	IP65	12pcs 39×39×32cm
20W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D180/200* H90MM	80	70lm/W	IP65	12pcs 39×39×32cm
30W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D200/220* H95MM	80	70lm/W	IP65	8pcs 47×47×22cm
50W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D250*H90MM	80	70lm/W	IP65	4pcs 53×27×22cm



LED GROUND LIGHT K-2803GR-3W,5W,7W,10W,12W





LED GROUND LIGHT K-2805GR-15W,18W,20W





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
3W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D65*H60MM	80	70lm/W	IP65	50pcs 39.5×39.5×19.5cm
5W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D80*H75MM	80	70lm/W	IP65	50pcs 49.5×49.5×21cm
7W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D100*H95MM	80	70lm/W	IP65	20pcs 39..5×27×52.5cm
10W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D110*H95MM	80	70lm/W	IP65	20pcs 39.5×27×52.5cm
12W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D130*H115MM	80	70lm/W	IP65	20pcs 52×26.5×27cm
15W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D150*H125MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm
18W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D160*H145MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm
20W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D180*H145MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm

LED GROUND LIGHT K-2805





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
10W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D100/110/120*H95MM	80	70lm/W	IP65	20pcs 39..5×27×52.5cm
3*7W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D160/170/180*H95MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm
4*7W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D180/190/200*H95MM	80	70lm/W	IP65	12pcs 39×39×32cm
6*7W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D200/210/220*H95MM	80	70lm/W	IP65	8pcs 47×47×22cm
8*7W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D250*H95 MM	80	70lm/W	IP65	4pcs 53×27×22cm

Patent Number:ZL 2019 3 03963207

LED GROUND LIGHT K-2805





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
1*6W	Die-cast Aluminum	Black	WW/WH	SMD	AC85-265V 50/60Hz	D80*H90MM	80	70lm/W	IP65	50pcs 49.5×49.5×21cm
3*6W	Die-cast Aluminum	Black	WW/WH	SMD	AC85-265V 50/60Hz	D140*H90MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm
4*6W	Die-cast Aluminum	Black	WW/WH	SMD	AC85-265V 50/60Hz	D180*H95MM	80	70lm/W	IP65	12pcs 39×39×32cm
6*6W	Die-cast Aluminum	Black	WW/WH	SMD	AC85-265V 50/60Hz	D200*H95MM	80	70lm/W	IP65	10pcs 43×21.5×52.5cm
8*6W	Die-cast Aluminum	Black	WW/WH	SMD	AC85-265V 50/60Hz	D220*H95 MM	80	70lm/W	IP65	8pcs 47×47×22cm
12*6W	Die-cast Aluminum	Black	WW/WH	SMD	AC85-265V 50/60Hz	D250*H95 MM	80	70lm/W	IP65	4pcs 53×27×22cm

LED GROUND LIGHT K-2808

Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
15W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D170*H110MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm
20W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D200*H110MM	80	70lm/W	IP65	10pcs 43×21.5×52.5cm
30W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D220*H110MM	80	70lm/W	IP65	8pcs 47×47×22cm



LAMP BODY

Painting iron lamp is simple and not easy to rust

[2803-GU10 / GU5.3]

PS:With GU10/GU5.3 Base,
No Bulb Inside

LED GROUND LIGHT K-2803-GU10





Type	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
ROUND GU10/GU5.3	Die-cast Aluminum	Black	/	/	/	D100/110/120 *H90MM	80	70lm/W	IP65	20pcs 52×26.5×27cm
SQUARE GU10/GU5.3	Die-cast Aluminum	Black	/	/	/	D100/110/120 *H90MM	80	70lm/W	IP65	20pcs 52×26.5×27cm

LED GROUND LIGHT K-2810COB-15W,20W





LED GROUND LIGHT K-2810SMD-11W,15W Adjustable Lens





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
15W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D150*H190MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm
20W	Die-cast Aluminum	Black	WW/WH	COB	AC85-265V 50/60Hz	D180*H240MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm
11W	Die-cast Aluminum	Black	WW/WH	SMD	AC85-265V 50/60Hz	D150*H190MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm
15W	Die-cast Aluminum	Black	WW/WH	SMD	AC85-265V 50/60Hz	D180*H240MM	80	70lm/W	IP65	12pcs 51.5×35×20.5cm

LED GROUND LIGHT K-2809





LED GROUND LIGHT K-2809



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
2W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	D100*H40MM	80	70lm/W	IP65	50pcs 43×32×43cm
3W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	D120*H40MM	80	70lm/W	IP65	36pcs 38×38×38.5cm
4W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	D150*H40MM	80	70lm/W	IP65	24pcs 50×33×33.5cm
2*2W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	D120*H40MM	80	70lm/W	IP65	50pcs 43×32×43cm
2*3W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	D150*H40MM	80	70lm/W	IP65	36pcs 38×38×38.5cm
2*4W	Die-cast Aluminum	BK/WH/GY	WW/WH	SMD	AC85-265V 50/60Hz	D150*H40MM	80	70lm/W	IP65	24pcs 50×33×33.5cm

LAWN LIGHT

Creating a Warm and Comfortable Atmosphere Space

LAWN LIGHT K-2901





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D90*H200MM	80	70lm/W	IP65	12pcs 53*36*64.5cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D90*H300MM	80	70lm/W	IP65	12pcs 53*36*64.5cm
10W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D90*H400MM	80	70lm/W	IP65	6pcs 62.5*33.5*48cm
10W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D90*H500MM	80	70lm/W	IP65	6pcs 62.5*33.5*48cm
10W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D90*H600MM	80	70lm/W	IP65	6pcs 62.5*33.5*48cm

LAWN LIGHT K-2903





Wattage	Material	Body Color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	L50*W50*H200MM	80	70lm/W	IP65	8pcs 62.5*25.5*47.5cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	L50*W50*H300MM	80	70lm/W	IP65	8pcs 62.5*25.5*47.5cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	L50*W50*H600MM	80	70lm/W	IP65	8pcs 62.5*25.5*47.5cm

LAWN LIGHT K-2909





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D90*200MM	80	70lm/W	IP65	8pcs 44×26.5×52.5cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D90*300MM	80	70lm/W	IP65	8pcs 44×26.5×52.5cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D90*400MM	80	70lm/W	IP65	8pcs 44×26.5×52.5cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D90*500MM	80	70lm/W	IP65	8pcs 32×38×39.5cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D90*600MM	80	70lm/W	IP65	4pcs 52×20×17cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D110*200MM	80	70lm/W	IP65	4pcs 52×20×17cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D110*300MM	80	70lm/W	IP65	4pcs 52×20×17cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D110*400MM	80	70lm/W	IP65	4pcs 52×20×17cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D110*500MM	80	70lm/W	IP65	8pcs 65*24.5*49 cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	D110*600MM	80	70lm/W	IP65	8pcs 65*24.5*49 cm

LAWN LIGHT K-2911





LAWN LIGHT K-2911







Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	L160*W57*H145MM	80	70lm/W	IP65	20pcs 42*39*39cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	L160*W57*H300MM	80	70lm/W	IP65	10pcs 62.5*18*32cm
7W	Die-cast Aluminum	Black	WH/WW	COB	AC85-265V 50/60Hz	L160*W57*H600MM	80	70lm/W	IP65	10pcs 67.5*18.5*62.5cm

LAWN LIGHT K-2913





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
6W	Die-cast Aluminum	Black	WH/WW	SMD	AC85-265V 50/60Hz	L150*W150*H600MM	80	70lm/W	IP65	8pcs 32×38×39.5cm
12W	Die-cast Aluminum	Black	WH/WW	SMD	AC85-265V 50/60Hz	L180*W180*H600MM	80	70lm/W	IP65	4pcs 52×20×17cm

LAWN LIGHT K-2916





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Die-cast Aluminum	Black	WH/WW/BL	COB	AC85-265V 50/60Hz	D55*W55*H200/300 /400/500/600/700 /800/900mm	80	70lm/W	IP65	20pcs 82.5×33.5×65cm
10W	Die-cast Aluminum	Black	WH/WW/BL	COB	AC85-265V 50/60Hz	D70*W70*H200/300 /400/500/600/700 /800/900mm	80	70lm/W	IP65	20pcs 82.5×33.5×65cm

LAWN LIGHT K-2917





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Die-cast Aluminum	Black	WH/WW/BL	COB	AC85-265V 50/60Hz	D60*W1055*H200/ 300/400/500/600 700/800/1000mm	80	70lm/W	IP65	20pcs 82.5×33.5×65cm
10W	Die-cast Aluminum	Black	WH/WW/BL	COB	AC85-265V 50/60Hz	D60*W1055*H200/ 300/400/500/600 700/800/1000mm	80	70lm/W	IP65	20pcs 82.5×33.5×65cm

LAWN LIGHT K-2901-SQUARE





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
10W	Die-cast Aluminum	BK/WH/GY	WH/WW	COB	AC85-265V 50/60Hz	D108*H200MM	80	70lm/W	IP65	12pcs 50*34*47cm
10W	Die-cast Aluminum	BK/WH/GY	WH/WW	COB	AC85-265V 50/60Hz	D108*H300MM	80	70lm/W	IP65	12pcs 50*34*47cm
10W	Die-cast Aluminum	BK/WH/GY	WH/WW	COB	AC85-265V 50/60Hz	D108*H400MM	80	70lm/W	IP65	8pcs 66*34*54cm
10W	Die-cast Aluminum	BK/WH/GY	WH/WW	COB	AC85-265V 50/60Hz	D108*H500MM	80	70lm/W	IP65	8pcs 66*34*54cm
10W	Die-cast Aluminum	BK/WH/GY	WH/WW	COB	AC85-265V 50/60Hz	D108*H600MM	80	70lm/W	IP65	8pcs 66*34*54cm
10W	Die-cast Aluminum	BK/WH/GY	WH/WW	COB	AC85-265V 50/60Hz	D108*H700MM	80	70lm/W	IP65	8pcs 66*34*54cm
10W	Die-cast Aluminum	BK/WH/GY	WH/WW	COB	AC85-265V 50/60Hz	D108*H800MM	80	70lm/W	IP65	8pcs 66*34*54cm
10W	Die-cast Aluminum	BK/WH/GY	WH/WW	COB	AC85-265V 50/60Hz	D108*H900MM	80	70lm/W	IP65	8pcs 66*34*54cm
10W	Die-cast Aluminum	BK/WH/GY	WH/WW	COB	AC85-265V 50/60Hz	D108*H1000MM	80	70lm/W	IP65	8pcs 66*34*54cm

LAWN LIGHT K-2902





Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Die-cast Aluminum	BK/WH/GY	WH/WW/BL	COB	AC85-265V 50/60Hz	D108*H300/400 /500/600	80	70lm/W	IP65	12pcs 50*34*47cm
7W	Die-cast Aluminum	BK/WH/GY	WH/WW/BL	COB	AC85-265V 50/60Hz	D108*H700/800 /900/1000	80	70lm/W	IP65	12pcs 50*34*47cm
10W	Die-cast Aluminum	BK/WH/GY	WH/WW/BL	COB	AC85-265V 50/60Hz	D108*H600MM	80	70lm/W	IP65	8pcs 66*34*54cm
12W	Die-cast Aluminum	BK/WH/GY	WH/WW/BL	COB	AC85-265V 50/60Hz	D108*H600MM	80	70lm/W	IP65	8pcs 66*34*54cm
15W	Die-cast Aluminum	BK/WH/GY	WH/WW/BL	COB	AC85-265V 50/60Hz	D108*H600MM	80	70lm/W	IP65	8pcs 66*34*54cm

LAWN LIGHT K-2907



Wattage	Material	Body color	CCT	Chip	Voltage	Size	Ra	Lumen Effect	IP Rate	Packing
7W	Die-cast Aluminum	BK/WH/GY	WH/WW/BL	COB	AC85-265V 50/60Hz	D108*H300/400 /500/600	80	70lm/W	IP65	12pcs 50*34*47cm
7W	Die-cast Aluminum	BK/WH/GY	WH/WW/BL	COB	AC85-265V 50/60Hz	D108*H700/800 /900/1000	80	70lm/W	IP65	12pcs 50*34*47cm
10W	Die-cast Aluminum	BK/WH/GY	WH/WW/BL	COB	AC85-265V 50/60Hz	D108*H600MM	80	70lm/W	IP65	8pcs 66*34*54cm
12W	Die-cast Aluminum	BK/WH/GY	WH/WW/BL	COB	AC85-265V 50/60Hz	D108*H600MM	80	70lm/W	IP65	8pcs 66*34*54cm
15W	Die-cast Aluminum	BK/WH/GY	WH/WW/BL	COB	AC85-265V 50/60Hz	D108*H600MM	80	70lm/W	IP65	8pcs 66*34*54cm